



NetPoulSafe

## Manieren om de risico's van voertuigen die de boerderij bezoeken te verminderen



### HOOFDPUNTEN

- Voertuigen van verschillende bronnen en doeleinden vormen een risico voor ziekteoverdracht omdat ze dagelijks verschillende pluimveebedrijven bezoeken.
- Dit zijn onder andere leveranciers van voer, vervoer van levend pluimvee, verzamelen van eieren, destructiebedrijven en voertuigen van bezoekers.

Voertuigen mogen het terrein niet op.



Beperk de toegang voor externe dienstverleners (bijv. ophalers van dode vogels/afval). Plaats de kadavercontainer ver van de pluimveestallen en dichtbij de weg.

# Manieren om de risico's van voertuigen die de boerderij bezoeken te verminderen

3


Duidelijk onderscheiden landbouwzones (schone route en vuile route) beperken de toegang van onbevoegde en mogelijk schadelijke voertuigen.



Vuile weg voor voerlevering en ophalen van karkassen in een vleeskuikenbedrijf

4

Voertuigen die de faciliteit binnenkomen, kunnen worden ontsmet met een ontsmettingsboog. Bij aankomst kunnen voertuigen worden gedesinfecteerd met wioldompels, matten of sprays.



Ontsmetting van oppervlakken door sproeien voor volledige dekking (de zijkanten, de bovenkant, de voorkant, de achterkant, het chassis) van alle voertuigen.

Ingebouwde sproeikoppen voor het desinfecteren van banden



## Vehicle-associated biosecurity risk assessment guide

	Minimal risk	Medium risk	High risk
Vehicle Entry and Disinfection	Having a vehicle disinfection station with high pressure sprayer at the gate for all vehicles	Inadequate vehicle disinfection station	No vehicle disinfection station or used only occasionally
Rendering truck	never enter the premises, but collect from bins outside perimeter fence or through the dirty route	collect from bins inside perimeter fence	collect from bins near poultry houses
Garbage truck	Garbage pick-up is outside the perimeter fence or through the dirty route	Garbage pick-up is inside the perimeter near the gate and tires are sanitized	Garbage pick-up is inside the perimeter near the poultry holding
Manure truck	Never goes from one poultry farm to another on the same day. At the farm entrance and exit, the undercarriage and tires are sanitized	Never goes from one poultry farm to another on the same day. But also, never sanitized on arrival.	Visit multiple farms on the same day and never sanitized on arrival.
Egg transport truck	Automatic disinfection arch before entering. Full wash after picking up eggs.	Manual wash after collecting eggs	Never washed after collection.
Feed delivery truck	Feed truck delivers feed from outside the perimeter or through the dirty route.	Feed truck goes on-farm to deliver feed	Feed truck goes on-farm to deliver feed and must access the poultry house(s)
Chick delivery truck	Automatic disinfection arch before entering. Full wash after delivering .	Manual wash after chick deliveries	Never washed after a delivery

### Meer informatie:

- NETPOULSAFE project : <https://www.netpoulsafe.eu>

